

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An irrigation system for a medical device, comprising:  
an irrigation line;  
an irrigation reservoir providing fluid to the irrigation line, the irrigation reservoir  
operating as a first source of fluid for the medical device;  
~~an irrigation line coupled to said irrigation reservoir;~~  
a pump coupled to said irrigation line;  
an accumulator operating as a secondary source of fluid for the medical device, said  
accumulator including a first chamber in fluid communication with said irrigation line, a second  
chamber, and a flexible membrane that separates said first chamber from said second chamber  
and deflects in response to a change in an amount of fluid pressure in the irrigation line, said first  
chamber of said accumulator providing a reservoir for pressurized fluid and supplying said  
pressurized fluid to said irrigation line in response to reduced speed of said pump; and,  
a controller including a pressure transducer in fluid communication with said second  
chamber to detect a change of fluid pressure in said second chamber caused by the deflection of  
the flexible membrane and to adjust a flowrate of fluid passing through said irrigation line to  
counteract the change in the amount of fluid pressure in the irrigation line by varying a speed of  
said pump.
2. (Cancelled.)
3. (Original) The irrigation system of claim 1, further comprising a valve coupled to  
said irrigation line and said controller.
4. (Previously Amended) The irrigation system of claim 1, wherein said controller  
activates an indicator to provide a warning to replace said irrigation reservoir.
5. (Previously Amended) The irrigation system of claim 1, wherein said controller  
varies said pump speed in response to a variation in the irrigation line pressure sensed by said  
pressure transducer that rises above a desired range of pressures.

6. (Original) The irrigation system of claim 1, wherein said controller can determine a flowrate generated by said pump.

7. (Original) The irrigation system of claim 6, wherein said controller determines an actual fluidic resistance from the flowrate and provides an output signal if the actual fluidic resistance is greater than a threshold value.

8. (Original) The irrigation system of claim 6, wherein said controller determines an actual volume of irrigation fluid pumped by said pump from the flowrate and provides an output signal if the actual volume of irrigation fluid is greater than a threshold value.

9-12. (Cancelled.)

13. (Currently Amended) A medical system, comprising:  
an irrigation system that includes

an irrigation reservoir storing fluid,

an irrigation pump that is coupled to said irrigation reservoir to control an output rate of the fluid from the irrigation reservoir,

an irrigation line coupled to said pump,

an accumulator providing fluid different than the fluid provided by the irrigation reservoir said irrigation line as a secondary source including a first chamber in fluid communication with said irrigation line, a second chamber, and a flexible membrane that separates said first chamber from said second chamber and deflects in response to a change in an amount of fluid pressure in the irrigation line, said first chamber of said accumulator providing a reservoir of pressurized fluid and supplying said pressurized fluid to said irrigation line in response to reduced speed of said pump; and,

a controller including a pressure transducer in fluid communication with said second chamber and to control the pressure within said irrigation line through monitoring a change of fluid pressure within said second chamber of said accumulator; and

an aspiration system that includes

an aspiration pump,

an aspiration line coupled to said aspiration pump, and

an aspiration pressure sensor that senses a vacuum pressure within said aspiration line.

14-15. (Cancelled.)

16. (Previously Amended) The medical system of claim 13, wherein said controller maintains an intraocular pressure by varying a speed of said irrigation pump and a flowrate through said irrigation line.

17. (Previously Amended) The medical system of claim 16, wherein said controller varies said speed of said irrigation pump in response to a variation in fluid pressure in said first chamber of said accumulator as sensed by said pressure transducer.

18. (Original) The medical system of claim 13, wherein said controller can determine a flowrate generated by said irrigation pump.

19. (Original) The medical system of claim 18, wherein said controller determines an actual fluidic resistance from the flowrate and provides an output signal if the actual fluidic resistance is greater than a threshold value.

20. (Previously Amended) The medical system of claim 18, wherein said controller determines an actual volume of irrigation fluid pumped by said irrigation pump from the flowrate and provides an output signal if the actual volume of irrigation fluid is greater than a threshold value.

21. (Previously Amended) The medical system of claim 19, wherein said controller provides an output signal that is used to control power of a medical device that is coupled to said irrigation line and said aspiration line if the actual fluidic resistance is greater than a device threshold value.

22. (Previously Amended) The medical system of claim 19, wherein said controller changes a speed of said aspiration pump if the actual fluidic resistance is greater than a threshold resistance value.

23-34. (Cancelled.)

35. (Currently Amended) The apparatus of claim 37 further comprising:

an aspiration line;

a second pressure sensor in fluid communication with the aspiration line;

an aspiration pump in fluid communication with the aspiration line; and,

a controller coupled with the first and the second pressure sensors to sense a differential pressure between the irrigation line and the aspiration line and to vary a speed of the irrigation

pump in efforts to maintain a flow rate in the irrigation line substantially in proportion to the flow rate in the aspiration line.

36. (Cancelled.)

37. (Currently Amended) An apparatus comprising:

an irrigation pump;

an irrigation line in fluid communication with the irrigation pump;

a fluid reservoir to supply a fluid to the irrigation line;

a first pressure sensor in fluid communication with the irrigation line; and

~~an aspiration line; and,~~

a first accumulator located between the irrigation line and the first pressure sensor, the first accumulator including a first chamber in fluid communication with the irrigation line temporarily to provide stored pressurized fluid in addition to the fluid supplied by the fluid reservoir in response to dislodgment of an occlusion of the aspiration line after the occlusion has already caused a substantially reduced speed of the irrigation pump, a second chamber in fluid communication with the first pressure sensor and a flexible membrane which separates the first and the second chamber; ~~and~~

~~a second accumulator in fluid communication with the second chamber.~~

38. (Original) The apparatus of claim 37 wherein the first accumulator is sized to maintain an intraocular pressure of an eye into which the medical device is to be inserted.

39. (Cancelled)

40. (Original) The apparatus of claim 35, wherein the controller is further to determine that an occlusion of the aspiration line has occurred if the differential pressure increases.

41. (Currently Amended) An irrigation system for a medical device, comprising:

a pump;

an irrigation line coupled to said pump;

a controller that varies a speed of said pump to adjust a flowrate of fluid passing through said irrigation line; and

an accumulator including (i) a first chamber operating as a reservoir to store pressurized fluid separately from fluid passing through said irrigation line, (ii) a second chamber in fluid

communication with said controller, and (iii) a flexible membrane that separates said first chamber from said second chamber, said accumulator provides said pressurized fluid from said first chamber to said irrigation line in addition to the fluid passing through said irrigation line to maintain intraocular pressure of an eye.

42. (Original) The irrigation system of claim 41 further comprising an irrigation reservoir coupled to said irrigation line.

43. (Previously Amended) The irrigation system of claim 42, wherein said pressurized fluid from said first chamber is provided to said irrigation line to mitigate transit latency of fluid from said irrigation reservoir.

44. (Original) The irrigation system of claim 41, wherein said flexible membrane of said accumulator is deflected in response to a change in fluid pressure in said irrigation line and causes a change in fluid pressure in said second chamber.

45. (Original) The irrigation system of claim 44, wherein said controller including a pressure transducer in fluid communication with said second chamber to detect the change of fluid pressure in said second chamber caused by deflection of said flexible membrane and to adjust a flowrate of said fluid passing through said irrigation line to counteract the change in fluid pressure in said irrigation line by varying the speed of said pump.

46. (Original) The irrigation system of claim 42, wherein said controller activates an indicator to provide a warning to replace said irrigation reservoir.

47. (Cancelled.)

48. (Currently Amended) An irrigation system for a medical device comprising:  
an irrigation line;  
a pump coupled to said irrigation line to control a flow of fluid through said irrigation line;

an accumulator including a first chamber ~~in fluid communication with said irrigation line~~, a second chamber, and a flexible membrane that separates said first chamber from said second chamber and deflects in response to a change in an amount of fluid pressure in ~~the said~~ irrigation line, said first chamber of said accumulator operating as a reservoir to store fluid separately from fluid passing through said irrigation line, said fluid stored by said accumulator is provided from

said first chamber to said irrigation line separately from said fluid flowing through said irrigation line under control by said pump~~to temporarily maintain intraocular pressure of an eye~~; and,

a controller including a pressure transducer in fluid communication with said second chamber, said controller to detect a change of fluid pressure in said second chamber caused by the deflection of the flexible membrane and to adjust a flowrate ~~of fluid passing through~~ said irrigation line to counteract a change in the amount of fluid pressure in said irrigation line by varying a speed of said pump.

49. (Original) The irrigation system of claim 48 further comprising an irrigation reservoir coupled to said irrigation line.

50. (Original) The irrigation system of claim 49, wherein said fluid from said first chamber is provided to said irrigation line to account for a delay of additional fluid being provided from said irrigation reservoir.